

References

- Apley, J., & Naish, N. (1958). Recurrent abdominal pains: A field survey of 1,000 school children. *Archives of Disease in Childhood*, 33 (168), 165–170.
- Berger, B., & Gevirtz, R. (2001). The treatment of panic disorder: a comparison between breathing retraining and cognitive behavior therapy. *Applied Psychophysiology and Biofeedback*, 26 (3), 227-228.
- Blanchard, E., Andrasik, F., Ahles, T., Teders, S., & O’Keefe, D. (1980). Migraine and tension-type headache: A meta-analytic review. *Behavior Therapy*, 11, 613-631.
- Bonica, J. (1992). Preface. In G. Aronoff (Ed.) *Evaluation and treatment of chronic pain* (2nd ed., p. xx.). Baltimore: Williams & Williams.
- Burt, V., Cutler, J., Higgins, M., Horan, M., Labarthe, D., Whelton, P., et al. (1995). Trends in the prevalence, awareness, treatment, and control of hypertension in he adult US population. *Hypertension*, 26, 60-69.
- Carmen, J. (2004). Passive infrared hemoencephalography: Four years and 100 migraines. *Journal of Neurotherapy*, 8 (3), 23-51.
- Carmody, D., Radvanski, D., Wadhvani, S., Sabo, M., & Vergara, L. (2001). EEG biofeedback training and attention deficit/hyperactivity disorder in an elementary school setting. *Journal of Neurotherapy*, 4 (3), 5-27.
- Chambless, D., & Hollon, S. (1998). Defining empirically supported therapies. *Journal of Consulting & Clinical Psychology*, 66, 7-18.
- Clark, M., & Hirschman, R. (1999). Effects of paced breathing on anxiety reduction in a clinical population. *Biofeedback and Self-Regulation*, 15 (3), 273-284
- Clouse, R., Mayer, E., Aziz, Q., Drossman, D., Dumitrascu, D., Monnikes, H., et al. (2006). Functional abdominal pain syndrome. *Gastroenterology*, 130 (5), 1492–1497.
- Cottier, C., Shapiro, K., & Julius, S. (1984). Treatment of mild hypertension and emerging treat considerations. *Archives of Internal Medicine*, 144, 1954-1958.
- Corrado, P., Gottlieb, H., & Abdelhamid, M. (2003). The effect of biofeedback and relaxation training on anxiety and somatic complaints in chronic pain patients. *American Journal of Pain Management*, 13 (4), 133-139.
- Crider, A., & Glaros, A. (1999). A meta-analysis of EMG biofeedback treatment of temporomandibular disorders. *Journal of Orofacial Pain*, 13 (1), 29-37.
- Crider, A., Glaros, A., & Gevirtz, R. (2005). Efficacy of biofeedback-based treatments for temporomandibular disorders. *Applied Psychophysiology and Biofeedback*, 30 (4), 333-345.
- DiPalma, A., & DiPalma, J. (1997). Recurrent abdominal pain and lactose maldigestion in school-aged children. *Gastroenterology Nursing*, 20 (5), 180–183.
- Duffy, F. (2000). The state of EEG biofeedback therapy (EEG operant conditioning) in 2000: An Editor’s opinion. *Clinical Electroencephalography*, 31 (1), v-vii.

Eccleston, C., Morley, S., Williams, A., et al., (2002). Systematic review of randomized controlled trials of psychological therapy for chronic pain I children and adolescents, with a subset meta-analysis of pain relief. *Pain*, 99, 157-165.

Egner, T., & Sterman, M. B. (2006). Neurofeedback treatment of epilepsy: from basic rationale to practical application. *Expert Review of Neurotherapeutics*, 6 (2), 247-257.

Flor, H., & Birbaumer, N. (1993). Comparison of the efficacy of electromyographic biofeedback, cognitive-behavior therapy and conservative medical interventions in the treatment of chronic musculoskeletal pain. *Journal of Consulting and Clinical Psychology*, 61 (4), 653-658.

Ganong, W. (1997). *Review of medical physiology*. Los Altos, CA: Medical Lange.

Gardea, M., Gatchel, R., Mishra, K. (2001). Long-term efficacy of biobehavioral treatment of temporomandibular disorders. *Journal of Behavioral Medicine*, 24 (4), 34-59.

Glazer, H. (2000). Dysethetic vulvodynia: Long term follow up after treatment with surface electromyography-assisted pelvic floor rehabilitation. *Journal of Reproductive Medicine*, 45, 798-802.

Glazer, H., & Laine, C. (2006). Pelvic floor muscle biofeedback in the treatment of urinary incontinence: A literature review. *Applied Psychophysiology and Biofeedback*, 31 (3), 187-201.

Goebel, M., Viol, G., & Orebaugh, C. (1993). An incremental model to isolate specific effects of behavioral treatments in essential hypertension. *Biofeedback and Self-Regulation*, 18 (4), 255-280.

Goodwin, E., & Montgomery, D. (2006). A cognitive-behavioral, biofeedback-assisted relaxation treatment for panic disorder with agoraphobia. *Clinical Case Studies*, 5 (2), 112-125.

Goslin, R., Gray, R., McCrory, D., Eberlin, K., Tulsy, J., & Hasselblad, V. (1999). Behavioral and physical treatments for migraine headache. (Technical Review 2.2). Prepared for the Agency for Health care Policy and Research under contract No. 290-94-2025. (NTIS Accession No. 127946)

Joint National Committee (JNC) on Detection, Evaluation and Treatment of High Blood Pressure. (1997). The sixth report of the Joint National Committee on Detection, Evaluation and Treatment of High Blood Pressure: JNC VI. *Archives of Internal Medicine*, 157, 2413-2446.

Hammond, C. (2003). QEEG-guided neurofeedback in the treatment of obsessive-compulsive disorder. *Journal of Neurotherapy*, 7 (2), 25-52.

Humphreys, P. A., & Gevirtz, R. N. (2000). Treatment of recurrent abdominal pain: components analysis of four treatment protocols. *Journal of Pediatric Gastroenterology and Nutrition*, 31 (1), 47-51.

Hyams, J. S., Burke, G., Davis, P. M., Rzepski, B., & Andrulonis, P.A. (1996). Abdominal pain and irritable bowel syndrome in adolescents: A community-based study. *Journal of Pediatrics*, 129 (2), 220-226.

Jacobson, R. (1995). The postconcussional syndrome: physiogenesis, psychogenesis, and malingering: An integrative model. *Journal of psychosomatic research*, 39, 675-693.

Jansdottir, G. (1997). The relationship between pains and various discomforts in school children. *Childhood: Global journal of child research*, 4, 491-504.

- Kaiser, D., & Othmer, S. (2000). Effect of neurofeedback variables of attention in a large multicenter trial. *Journal of neurotherapy*, 4 (3), 5-15.
- Kristjansdottir, G. (1996). Sociodemographic differences in the prevalence of self-reported stomach pain in school children. *European Journal of Pediatrics*, 155 (11), 981-983.
- Larsen, S. (Ed.) (2006). *The healing power of neurofeedback*. Rochester, VT: Healing Arts Press.
- Larsen, S. (2009). The special applicability of the low energy neurofeedback system form of neurofeedback to traumatic brain injury: I. The theory. *Biofeedback*, 37, (3), 104-107.
- Lebovits, A. (2007). Cognitive-behavioral approaches to chronic pain. *Primary Psychiatry*, 14(9), 48-54.
- Lehrer, P. (2007). Biofeedback training to increase heart rate variability. In P. Lehrer, R. Woolfolk, & W. Simes (Eds.), *Principles and Practice of Stress Management*, (pp. 227-248), NY: Guilford.
- Levesque, J., Beaugard, M., & Mensour, B. (2006). Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: A functional magnetic resonance imaging study. *Neuroscience Letters*, 394, 216-221.
- Linden, M., Habib, T., & Radojevic, V. (1996). A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. *Biofeedback and Self-Regulation*, 21 (1), 35-49.
- Linden, W., & Chambers, L. (1994). Clinical effectiveness of non-drug therapies for hypertension: A meta-analysis. *Annals of Behavioral Medicine*, 16, 35-45.
- Linen, W., & Moseley, J. (2006). The efficacy of behavioral treatments for hypertension. *Applied Psychophysiology and Biofeedback*, 31 (1), 51-63.
- Lubar, J. (2003). Neurofeedback for attention deficit disorders. In M. Schwartz & F. Andrasik (Eds.), *Biofeedback A practitioner's guide* (3rd Ed.). NY: Guilford, pp. 409-437.
- Lubar, J., & Shouse, M. (1976). EEG and behavioral changes in hyperkinetic child concurrent with training of the sensorimotor rhythm (SMR): a preliminary report. *Biofeedback and Self-Regulation*, 3, 293-306.
- Lubar, J., & Shouse, M. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. In B. B. Lacey & A. E. Kazdin (Eds.), *Advances in Clinical Child Psychology*, 1. NY: Plenum.
- McGrady A., & Linden, W. (2003). Biobehavioral treatment of essential hypertension. In M. Schwartz, & F. Andrasik (Eds.) *Biofeedback*. NY: Guilford, pp. 382-407.
- McGrady, A., Utz, S., Woerner, M., Bernal, G., & Higgins, J. (1986). Predictors of success in hypertensives treated with biofeedback-assisted relaxation. *Biofeedback and Self-Regulation*, 11 (23), 95-103.
- McGrady, A., Yonker, R., Tan, S., Fine, T., & Woerner, M. (1981). The effect of biofeedback-assisted relaxation training on blood pressure and selected biochemical parameters in patients with essential hypertension. *Biofeedback and Self-Regulation*, 6 (3), 343-353.
- Myers, C. (2007). Complementary and alternative medicine for persistent facial pain. *Dental Clinics North America*, 51 (1), 263-274.

- Monastra, V. (2005). Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: Rationale and empirical foundations. *Child and Adolescent Psychiatric Clinics of North America*, 14 (1), 55-82.
- Monastra, V. (2003). Clinical applications of EEG biofeedback. In M. Schwartz & F. Andrasik (Eds.), *Biofeedback A Practitioner's Guide* (3rd Ed.). NY: Guilford, pp. 438-463.
- Moss, D. (2003). Anxiety. in D. Moss and A. McGrady Moss, McGrady, T. Davies, & I. Wickramasekera, (Eds.), *Handbook of mind-body medicine for primary care*, Thousand Oaks, CA: Sage, pp. 359-375.
- Moss, D., & Gunkelman, J. (2002). Task force report on methodology and empirically supported treatments: Introduction and summary. *Applied Psychophysiology and Biofeedback*, 27, (4), 261-262.
- Nakao, M., Yano E., Nomura, S., & Kuboki, T. (2003). Blood pressure-lowering effects of biofeedback treatment in hypertension: a meta-analysis of randomized controlled trials. *Hypertension Research*, 26 (1), 37-46.
- National Institute of Neurological Disorders and Stroke (NINDS, 2012). <http://www.ninds.nih.gov/>.
- Oster, J. (1972). Recurrent abdominal pain, headache and limb pains in children and adolescents. *Pediatrics*, 50 (3), 429-436.
- Parcel, G. S., Nader, P. R., & Meyer, M. P. (1977). Adolescent health concerns, problems, and patterns of utilization in a triethnic urban population. *Pediatrics*, 60 (2), 157-164.
- Patel, C. (1973). Yoga and biofeedback in the management of hypertension. *Lancet*, ii,1053-1055.
- Penzien, D., Rains, J., & Andrasik, F. (2002). Behavioral management of recurrent headache: Three decades of experience and empiricism. *Applied Psychophysiology and Biofeedback*, 27 (2), 163-181.
- Qi, Z., & Ng, G. (2007). EMG analysis of vastus medialis obliquus/vastus lateralis activities in subjects with patellofemoral pain syndrome before and after a home exercise program. *Journal of Physical Therapy Science*, 19 (2), 131-137.
- Reyes, del Paso, G., Cea, J., Gonzales,-Pinto, A., Cabo, O., Caso, R., Brazal, J. et al. (2006). Short-term effects of a brief respiratory training on baroreceptors cardiac reflex function in normotensive and mild hypertensive subjects. *Biofeedback and Self-Regulation*, 31 (1), 37-49.
- Rice, K., Blanchard, E., & Purcell, M. (1993). Biofeedback treatments of generalized anxiety disorder: Preliminary results. *Biofeedback & Self-Regulation*, 18 (2), 93-105.
- Rossiter, T., & LaVaque, T. (1995). A comparison of EEG biofeedback to psychostimulants in treating attention deficit/hyperactivity disorders. *Journal of Neurotherapy*, 1 (1), 54-63.
- Rossiter, T. (2004). The effectiveness of EEG biofeedback and stimulant drugs in treating ADHD. Part II: Replication. *Applied Psychophysiology and Biofeedback*, 29 (4), 233-243.
- Sanders, M., Shepherd, R., Cleghorn, G., & Woolford, H. (1994). The treatment of recurrent abdominal pain in children: a controlled comparison of cognitive-behavioral family intervention and standard pediatric care. *Journal of Consulting and Clinical Psychology*, 62 (2), 306-314.
- Sarkar, P., Rathee, S., & Neera, N. (1999). Comparative efficacy of pharmacotherapy and biofeedback among cases of generalized

anxiety disorder. *Journal of Projective Psychology & Mental Health*, 6 (1), 69-77.

Schoenberger, N., Shiflett, S., Esty, M., Ochs, L., & Matheis, R.J. (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation. *Journal of Head Trauma Rehabilitation*, 16, 260-274.

Schwartz, M., & Andrasik, F. (Eds.) (2003). *Biofeedback A practitioner's guide* (3rd Ed.). NY: Guilford.

Singh, A. (2005). Multidisciplinary management of chronic pain. *International Medical Journal*, 12 (2), 111-116.

Siniatchkin, M., Hierundar, A., Kropp, P., Khunert, R., Gerber, W., & Staphani, U. (2000). Self-regulation of slow cortical potentials in children with migraine: An exploratory study. *Applied psychophysiology and biofeedback*, 25, 13-32, in press. Epub ahead of print retrieved March 14, 2010 from <http://www.springerlink.com/content/787123414m832271>

Stinson, J. (2003). Review: Psychological interventions reduce the severity and frequency of chronic pain in children and adolescents. *Evidence-based Nursing*, 6 (2), 45.

Sterman, M. B. (2000). Basic concepts and clinical findings in the treatment of seizure disorders with EEG operant conditioning. *Clinical Electroencephalography*, 31 (1), 45-55.

Sterman, M. B., & Egner, T. (2006). Foundation and practice of neurofeedback therapy for epilepsy. from basic rationale to practical application. *Applied Psychophysiology and Biofeedback*, 31 (1), 21-35.

Thatcher, R. (1999). EEG database guided neurotherapy. In J. R. Evans & A. Arbarbanel (Eds.), *Introduction to quantitative EEG and neurofeedback*. San Diego, CA: Academic Press.

Thatcher, R. (2000). EEG operant conditioning (biofeedback) and traumatic brain injury. *Clinical Electroencephalography*, 31, 38-44.

Thompson, L., & Thompson, M. (1998). Neurofeedback combined with training in metacognitive strategies: Effectiveness in student with ADD. *Applied psychophysiology and biofeedback*, 23 (4), 243-263.

Thompson, M., & Thompson, L. (2003). *The neurofeedback book*. Wheat Ridge, CO: AAPB.

Varney, N., & Roberts, R. (Eds.) (1999). *The evaluation and treatment of mild traumatic brain injury*. Mahwah, NJ: Lawrence Erlbaum.

Weaver, M. & McGrady, A. (1995). A provisional model to predict blood pressure response to biofeedback-assisted relaxation. *Biofeedback and Self-Regulation*, 20 (3), 229-240.

Vanathy, S., Sharma, P., & Kumar, K. (1998). The efficacy of alpha and theta neurofeedback training in treatment of generalized anxiety disorder. *Indian Journal of Clinical Psychology*, 25 (2), 136-143.

Yucha, C., Clark, L., Smith, M. Uris, P., Lafleur, B., & Duval, S. (2001). The effect of biofeedback in hypertension. *Applied Nursing research*, 14 (10), 29-35.

Yucha, C, Montgomery, D. (2008). *Evidence-based practice in biofeedback and neurofeedback*. Wheat Ridge, CO: AAPB.

Zhang, F., Zhang, J. Jin, X. (2006). Effect of electroencephalogram biofeedback on behavioral problems of children with attention deficit hyperactivity disorder. *Chinese Journal of Clinical Rehabilitation*, 10 (10), 74-76.

Zhong-Gui, X. Hai-Qing, X., Shu-Hua, S. (2006). The controlled study of effectiveness of EEG biofeedback training on children with attention deficit disorder. *Chinese Journal of Clinical Psychology*, 14 (2), 207-208.

[Back to Biofeedback Articles](#)